

1 Identification

- **Product identifier**
- **Trade name:** OptiPhase HiSafe 3
- **Article number:** 1200.437
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
PerkinElmer Health Sciences B.V.
Rigaweg 22
9723 TH Groningen
The Netherlands
Phone: 0031 50 5445900
Fax: 0031 50 5445950
www.perkinelmer.com
- **Information department:**
Quality Assurance, Environment, Safety & Health (QA/ESH)
SDS.Groningen@perkinelmer.com
- **Emergency telephone number:**
+31 50 5445971
CHEMTREC (within U.S.A. and Canada) 1-800-424-9300
CHEMTREC (from outside U.S.A. and Canada) +1703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Trade name: OptiPhase HiSafe 3

(Contd. of page 1)

Hazard pictograms



GHS05 GHS08 GHS09

Signal word *Danger*

Hazard-determining components of labeling:

Alkylphenol Polyglycoether
Diisopropyl naphthalene isomers
Alkoxy phosphate
2,2'-iminodiethanol

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 If swallowed: Immediately call a poison center/doctor.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing.

Other hazards

Results of PBT and vPvB assessment

PBT:

38640-62-9 Diisopropyl naphthalene isomers

vPvB:

38640-62-9 Diisopropyl naphthalene isomers

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:

38640-62-9	Diisopropyl naphthalene isomers PBT; vPvB Asp. Tox. 1, H304 Aquatic Chronic 1, H410	40-60%
9016-45-9	Alkylphenol Polyglycoether Eye Dam. 1, H318 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Skin Irrit. 2, H315	10-20%

(Contd. on page 3)

Trade name: OptiPhase HiSafe 3

(Contd. of page 2)

112-34-5	2-(2-butoxyethoxy)ethanol Eye Irrit. 2A, H319	10-20%
9016-45-9	Alkylphenol Polyglycoether Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	10-20%
39464-70-5	Alkoxy phosphate Eye Dam. 1, H318 Skin Irrit. 2, H315	2.5-10%
111-42-2	2,2'-iminodiethanol Carc. 2, H351; Repr. 2, H361; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 Aquatic Chronic 3, H412	0-2.5%

· Non-Dangerous components

92-71-7	2,5-Diphenyloxazole (PPO)	0-2.5%
7732-18-5	water, distilled, conductivity or of similar purity	0-2.5%
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	0-2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Foam
Fire-extinguishing powder
Carbon dioxide
- **Special hazards arising from the substance or mixture** Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Wear fully protective suit.

Trade name: OptiPhase HiSafe 3

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

38640-62-9	Diisopropyl naphthalene isomers	5.6 mg/m ³
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
111-42-2	2,2'-iminodiethanol	3 mg/m ³
92-71-7	2,5-Diphenyloxazole (PPO)	2.5 mg/m ³
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	12 mg/m ³

· PAC-2:

38640-62-9	Diisopropyl naphthalene isomers	61 mg/m ³
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm
111-42-2	2,2'-iminodiethanol	28 mg/m ³
92-71-7	2,5-Diphenyloxazole (PPO)	27 mg/m ³
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	130 mg/m ³

· PAC-3:

38640-62-9	Diisopropyl naphthalene isomers	370 mg/m ³
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm
111-42-2	2,2'-iminodiethanol	130 mg/m ³
92-71-7	2,5-Diphenyloxazole (PPO)	160 mg/m ³
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	790 mg/m ³

7 Handling and storage

· Handling:

· **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

· **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

· **Conditions for safe storage, including any incompatibilities**

· Storage:

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Protect from heat and direct sunlight.

· **Specific end use(s)** No further relevant information available.

-US

(Contd. on page 5)

Trade name: OptiPhase HiSafe 3

(Contd. of page 4)

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Characteristic

(Contd. on page 6)

Trade name: OptiPhase HiSafe 3

(Contd. of page 5)

· pH-value at 20 °C (68 °F):	5.8
· Change in condition Boiling point/Boiling range:	290 °C (554 °F)
· Flash point:	152 °C (305.6 °F)
· Ignition temperature:	500 °C (932 °F)
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density at 20 °C (68 °F):	0.99 g/cm ³ (8.26155 lbs/gal)
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	2,120 mg/kg
Dermal	LD50	37,050 mg/kg (rbt)

38640-62-9 Diisopropyl naphthalene isomers

Oral	LD50	4,000 mg/kg (Rat)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

111-42-2	2,2'-iminodiethanol	2B
----------	---------------------	----

(Contd. on page 7)

Trade name: OptiPhase HiSafe 3

(Contd. of page 6)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

9016-45-9 Alkylphenol Polyglycoether

chronic NOEC/ECx >1 mg/l (Alge)

9016-45-9 Alkylphenol Polyglycoether

chronic NOEC/ECx >1 mg/l (Alge)

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:**

38640-62-9 Diisopropyl naphthalene isomers

· **vPvB:**

38640-62-9 Diisopropyl naphthalene isomers

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **ADR, IMDG, IATA**

UN3082

· **UN proper shipping name**

· **ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether)



· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether), MARINE POLLUTANT

(Contd. on page 8)

Trade name: OptiPhase HiSafe 3

(Contd. of page 7)

· IATA	<i>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether)</i>
· Transport hazard class(es)	
· ADR	
	
· Class	9 (M6) Miscellaneous dangerous substances and articles
· Label	9
· IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group	
· ADR, IMDG, IATA	III
· Environmental hazards:	<i>Product contains environmentally hazardous substances: Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether</i>
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· Remarks:	Special marking with the symbol (fish and tree).
· UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 9)

Trade name: OptiPhase HiSafe 3

(Contd. of page 8)

· **Section 313 (Specific toxic chemical listings):**

112-34-5	2-(2-butoxyethoxy)ethanol
111-42-2	2,2'-iminodiethanol

· **TSCA (Toxic Substances Control Act):**

38640-62-9	Diisopropyl naphthalene isomers	ACTIVE
112-34-5	2-(2-butoxyethoxy)ethanol	ACTIVE
39464-70-5	Alkoxy phosphate	ACTIVE
111-42-2	2,2'-iminodiethanol	ACTIVE
92-71-7	2,5-Diphenyloxazole (PPO)	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE

· **Hazardous Air Pollutants**

111-42-2	2,2'-iminodiethanol
----------	---------------------

· **Proposition 65**

· **Chemicals known to cause cancer:**

111-42-2	2,2'-iminodiethanol
----------	---------------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

111-42-2	2,2'-iminodiethanol	A3
----------	---------------------	----

· **MAK (German Maximum Workplace Concentration)**

111-42-2	2,2'-iminodiethanol	0.46 ppm; 2 mg/m ³
----------	---------------------	-------------------------------

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS08 GHS09

· **Signal word Danger**

· **Hazard-determining components of labeling:**

Alkylphenol Polyglycoether
Diisopropyl naphthalene isomers
Alkoxy phosphate
2,2'-iminodiethanol

(Contd. on page 10)

Trade name: OptiPhase HiSafe 3

(Contd. of page 9)

· **Hazard statements**

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H304 May be fatal if swallowed and enters airways.
- H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P302+P352 If on skin: Wash with plenty of water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362 Take off contaminated clothing.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
Wasser	0-2.5
NK	10-20

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Quality Assurance, Environment, Safety & Health (QA/ESH)

· **Contact:** SDS.Groningen@perkinelmer.com

· **Date of preparation / last revision** 11/24/2020 / 5

· **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

(Contd. on page 11)

Trade name: OptiPhase HiSafe 3

(Contd. of page 10)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
*** Data compared to the previous version altered.**