

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

1 Identification

- **Product identifier**
- **Trade name:** PerkinElmer Advanced Filter System (repl.)
- **Article number** N9303964
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**



Flame

Self-heat. 1 H251 Self-heating: may catch fire.



Health hazard

Carc. 1A H350 May cause cancer.



Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS02, GHS07, GHS08, GHS09
- **Signal word** Danger

(Contd. on page 2)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 1)

· **Hazard-determining components of labeling:**

manganese dioxide

Quartz (SiO₂)

copper(II) oxide

· **Hazard statements**

H251 Self-heating; may catch fire.

H302 Harmful if swallowed.

H320 Causes eye irritation.

H350 May cause cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P220 Keep away from water.

P222 Do not allow contact with air.

P235+P410 Keep cool. Protect from sunlight.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P407 Maintain air gap between stacks/pallets.

P420 Store away from other materials.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 4

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



*Health = *1*

Fire = 4

Reactivity = 0

· **Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

USA

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 2)

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Hazardous components:**

1318-02-1	Zeolites Eye Irrit. 2B, H320	45.0%
7440-44-0	carbon Flam. Sol. 1, H228	28.0%
1313-13-9	manganese dioxide Acute Tox. 4, H302; Acute Tox. 4, H332	10.0%
1317-38-0	copper(II) oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	5.0%
14808-60-7	Quartz (SiO ₂) Carc. 1A, H350	1.0%

· **Additional Components**

1327-43-1	Aluminum Magnesium Silicate	10.5%
10034-96-5	Mangan(II)-sulfat-Monohydrat	0.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

USA

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 3)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

7440-44-0	carbon	6 mg/m ³
1313-13-9	manganese dioxide	4.7 mg/m ³
1317-38-0	copper(II) oxide	0.75 mg/m ³
14808-60-7	Quartz (SiO ₂)	0.075 mg/m ³
10034-96-5	Mangan(II)-sulfat-Monohydrat	9.2 mg/m ³

· PAC-2:

7440-44-0	carbon	330 mg/m ³
1313-13-9	manganese dioxide	7.9 mg/m ³
1317-38-0	copper(II) oxide	11 mg/m ³
14808-60-7	Quartz (SiO ₂)	33 mg/m ³
10034-96-5	Mangan(II)-sulfat-Monohydrat	15 mg/m ³

· PAC-3:

7440-44-0	carbon	2,000 mg/m ³
1313-13-9	manganese dioxide	690 mg/m ³
1317-38-0	copper(II) oxide	93 mg/m ³
14808-60-7	Quartz (SiO ₂)	200 mg/m ³
10034-96-5	Mangan(II)-sulfat-Monohydrat	90 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Do not open cartridge
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

· **Specific end use(s)** No further relevant information available.

(Contd. of page 4)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1313-13-9 manganese dioxide

PEL	Ceiling limit value: 5 mg/m ³ as Mn
REL	Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ as Mn
TLV	Long-term value: 0.02* 0.1** mg/m ³ as Mn; *respirable **inhalable fraction

14808-60-7 Quartz (SiO₂)

PEL	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m ³ /%SiO ₂ +2
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 5)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles or safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Solid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	2230 °C (4046 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:** >370 °C (>698 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.
Not determined.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:** Not applicable.

· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 6)

· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC content:	0.00 %
Solids content:	70.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
1318-02-1	Zeolites	3
14808-60-7	Quartz (SiO ₂)	1
· NTP (National Toxicology Program)		
14808-60-7	Quartz (SiO ₂)	K

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of container and materials in accordance with local, regional and national regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------|--|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN3190 |
| · UN proper shipping name | |
| · DOT | Self-heating solid, inorganic, n.o.s. (Activated copper oxide) |
| · ADR | 3190 SELF-HEATING SOLID, INORGANIC, N.O.S. (Activated copper oxide), ENVIRONMENTALLY HAZARDOUS |
| · IMDG, IATA | SELF-HEATING SOLID, INORGANIC, N.O.S. (Activated copper oxide) |

(Contd. on page 9)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 8)

· **Transport hazard class(es)**

· **DOT**



· **Class** 4.2 Substances liable to spontaneous combustion
· **Label** 4.2

· **ADR**



· **Class** 4.2 Substances liable to spontaneous combustion
· **Label** 4.2

· **IMDG, IATA**



· **Class** 4.2 Substances liable to spontaneous combustion
· **Label** 4.2

· **Packing group**

· **DOT, ADR, IMDG, IATA** II

· **Environmental hazards:**

· **Marine pollutant:** No
· **Special marking (ADR):** Symbol (fish and tree)

· **Special precautions for user**

· **EMS Number:** Warning: Substances liable to spontaneous combustion

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

The carbon in this product has been tested according to the United Nations Transport of Dangerous Goods test protocol for a “self-heating substance”. It has been specifically determined that this product does not meet the definition of a self heating substance or any other hazard class, and therefore is not a hazardous materia

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 15 kg
On cargo aircraft only: 50 kg

(Contd. on page 10)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021


Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 9)

· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· IMDG	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 3190 SELF-HEATING SOLID, INORGANIC, N.O.S. (ACTIVATED COPPER OXIDE), 4.2, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

1318-02-1	Zeolites	Eye Irrit. 2B, H320	45.0%
7440-44-0	carbon	 Flam. Sol. 1, H228	28.0%
1327-43-1	Aluminum Magnesium Silicate		10.5%

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

1313-13-9	manganese dioxide	
1317-38-0	copper(II) oxide	
10034-96-5	Mangan(II)-sulfat-Monohydrat	

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

7440-44-0	carbon	ACTIVE
1327-43-1	Aluminum Magnesium Silicate	ACTIVE
1313-13-9	manganese dioxide	ACTIVE
1317-38-0	copper(II) oxide	ACTIVE
14808-60-7	Quartz (SiO ₂)	ACTIVE

· **Hazardous Air Pollutants**

1313-13-9	manganese dioxide
10034-96-5	Mangan(II)-sulfat-Monohydrat

· **Proposition 65**

· **Chemicals known to cause cancer:**

14808-60-7	Quartz (SiO ₂)
------------	----------------------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 11)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 10)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenity categories**

· **EPA (Environmental Protection Agency)**

1313-13-9	manganese dioxide	D
10034-96-5	Mangan(II)-sulfat-Monohydrat	D

· **TLV (Threshold Limit Value established by ACGIH)**

14808-60-7	Quartz (SiO ₂)	A2
------------	----------------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

14808-60-7	Quartz (SiO ₂)	
------------	----------------------------	--

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials:**
Carcinogenic hazardous material group III (dangerous).

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 12)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: PerkinElmer Advanced Filter System (repl.)

(Contd. of page 11)

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Sol. 1: Flammable solids – Category 1
Self-heat. 1: Self-heating substances and mixtures – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
Carc. 1A: Carcinogenicity – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
· *** Data compared to the previous version altered.**

USA