according to WHS Regulations

Printing date 28.07.2021 Revision: 28.07.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· **Product identifier**

· **Trade name:** **Mix- Method 8080A Pesticides**
· **Article number:** N9331029
· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Application of the substance / the mixture** Laboratory chemicals

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

Supplier/Local:

PerkinElmer Australia
Lvl 2, Bldg 5, Brandon Office Park
530-540 Springvale Road
Glen Waverley
Melbourne
VIC 3150
Australia
1-800-033-391
ausales@perkinelmer.com
· **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) Identification

· **Classification of the substance or mixture**

flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

skull and crossbones

Acute Tox. 1 H310 Fatal in contact with skin.

(Contd. on page 2)

(Contd. of page 1)

health hazard

Muta. 1B	*H340*	*May cause genetic defects.*
Carc. 1A	*H350*	*May cause cancer.*
STOT RE 1	*H372*	*Causes damage to organs through prolonged or repeated exposure.*

Acute Tox. 4	*H302*	*Harmful if swallowed.*
Skin Irrit. 2	*H315*	*Causes skin irritation.*
Eye Irrit. 2A	*H319*	*Causes serious eye irritation.*

· **Label elements**
· **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
· **Hazard pictograms** *GHS02, GHS06, GHS08*
· **Signal word** *Danger*

· **Hazard-determining components of labelling:**
benzene
dieldrin (ISO)
endrin (ISO)
TDE

· **Hazard statements**
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H340 May cause genetic defects.
H350 May cause cancer.
H372 Causes damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P210	*Keep away from heat/sparks/open flames/hot surfaces. No smoking.*
P303+P361+P353	*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*
P305+P351+P338	*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
P310	*Immediately call a POISON CENTER/doctor.*
P330	*Rinse mouth.*
P322	*Specific measures (see on this label).*
P403+P235	*Store in a well-ventilated place. Keep cool.*
P501	*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 3)

(Contd. of page 2)

· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

71-43-2	benzene Flam. Liq. 2, H225 Acute Tox. 1, H310 Muta. 1B, H340; Carc. 1A, H350; STOT RE 1, H372; Asp. Tox. 1, H304 Skin Irrit. 2, H315; Eye Irrit. 2, H319	96.4%
50-29-3	DDT (common name not adopted by ISO) Acute Tox. 3, H301 Carc. 2, H351; STOT RE 1, H372	0.2%
58-89-9	γ -HCH or γ -BHC Acute Tox. 3, H301 STOT RE 2, H373 Acute Tox. 4, H312; Acute Tox. 4, H332	0.2%
60-57-1	dieldrin (ISO) Acute Tox. 3, H301; Acute Tox. 1, H310 Carc. 2, H351; STOT RE 1, H372	0.2%
72-20-8	endrin (ISO) Acute Tox. 2, H300; Acute Tox. 3, H311	0.2%
72-54-8	TDE Acute Tox. 2, H300; Acute Tox. 3, H311	0.2%
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene Acute Tox. 3, H301	0.2%
76-44-8	heptachlor (ISO) Acute Tox. 3, H301; Acute Tox. 3, H311 Carc. 2, H351; STOT RE 2, H373	0.2%
309-00-2	aldrin (ISO) Acute Tox. 3, H301; Acute Tox. 3, H311 Carc. 2, H351; STOT RE 1, H372	0.2%
319-84-6	(1alpha,2alpha,3ß,4alpha,5ß,6ß)-1,2,3,4,5,6-hexachlorocyclohexane Acute Tox. 2, H300	0.2%
319-85-7	(1alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	0.2%
319-86-8	(1alpha,2alpha,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane Acute Tox. 3, H301	0.2%
33213-65-9	ß-endosulfan Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	0.2%

(Contd. on page 4)

(Contd. of page 3)

· Additional Components		
72-43-5	methoxychlor	0.2%
959-98-8	Endosulfan I	0.2%
1031-07-8	Endosulfan	0.2%
7421-93-4	ENDRIN ALDEHYDE	0.2%
28044-83-9	Heptachlor Epoxide Isomer B	0.2%
53494-70-5	2Endrin ketone	0.2%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **Description of first aid measures**
· **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
In case of irregular breathing or respiratory arrest provide artificial respiration.
· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:** Call for a doctor immediately.
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

*

5 Fire Fighting Measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO_2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
· **Advice for firefighters**
· **Protective equipment:** Mouth respiratory protective device.

*

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Prevent seepage into sewage system, workpits and cellars.

(Contd. on page 5)

(Contd. of page 4)

· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*

7 Handling and Storage

· **Handling:**
· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
· **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** Store in a cool location.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
Store receptacle in a well ventilated area.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
· **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
71-43-2 benzene	
WES	Long-term value: 3.2 mg/m³, 1 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

(Contd. on page 6)

(Contd. of page 5)

· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

*

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Appearance:**	
Form:	Liquid
Colour:	Transparent
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **pH-value:**	Not determined.
· **Change in condition**	
Melting point/freezing point:	6 °C
Initial boiling point and boiling range:	80 °C
· **Flash point:**	-11 °C
· **Flammability (solid, gas):**	Not applicable.
· **Ignition temperature:**	555 °C
· **Decomposition temperature:**	Not determined.
· **Auto-ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

(Contd. on page 7)

(Contd. of page 6)

· **Explosion limits:**	
Lower:	1.2 Vol %
Upper:	8 Vol %
· **Vapour pressure at 20 °C:**	100 hPa
· **Density at 20 °C:**	1.54 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with water at 20 °C:**	0.7 g/l
· **Partition coefficient: n-octanol/water:**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic:	Not determined.
· **Solvent content:**	
Organic solvents:	96.4 %
Solids content:	1.6 %
· **Other information**	No further relevant information available.

10 Stability and Reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

*

11 Toxicological Information

· **Information on toxicological effects**
· **Acute toxicity**

· **LD/LC50 values relevant for classification:**		
71-43-2 benzene		
Oral	LD50	4894 mg/kg (rat)
Dermal	LD50	48 mg/kg (mouse)
Inhalative	LC50/4 h	9980 mg/l (mouse)
50-29-3 DDT (common name not adopted by ISO)		
Oral	LD50	113 mg/kg (rat)

(Contd. on page 8)

(Contd. of page 7)

Dermal	LD50	2510 mg/kg (rat)
58-89-9 γ -HCH or γ -BHC		
Oral	LD50	88 mg/kg (rat)
Dermal	LD50	900 mg/kg (rat)
60-57-1 dieldrin (ISO)		
Oral	LD50	38 mg/kg (rat)
Dermal	LD50	10 mg/kg (rat)
72-20-8 endrin (ISO)		
Oral	LD50	7 mg/kg (rat)
Dermal	LD50	60 mg/kg (rat)
76-44-8 heptachlor (ISO)		
Oral	LD50	100 mg/kg (rat)
Dermal	LD50	159 mg/kg (rat)
309-00-2 aldrin (ISO)		
Oral	LD50	46 mg/kg (rat)
Dermal	LD50	98 mg/kg (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Irritant to skin and mucous membranes.
· **Serious eye damage/irritation** Irritating effect.
· **Respiratory or skin sensitisation** No sensitising effects known.
· **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant
Very toxic
Danger through skin adsorption.
The product can cause inheritable damage.
· **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
Muta. 1B, Carc. 1A

12 Ecological Information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Behaviour in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.

(Contd. on page 9)

(Contd. of page 8)

· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**	
· **ADG, IMDG, IATA**	UN3021
· **UN proper shipping name**	
· **ADG**	3021 PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (BENZENE, endrin (ISO)), ENVIRONMENTALLY HAZARDOUS
· **IMDG**	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (BENZENE, endrin (ISO)), MARINE POLLUTANT
· **IATA**	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (BENZENE, endrin (ISO))
· **Transport hazard class(es)**	
· **ADG**	

· **Class**	3 (FT2) Flammable liquids.
· **Label**	3+6.1
· **IMDG**	

· **Class**	3 Flammable liquids.
· **Label**	3/6.1

(Contd. on page 10)

(Contd. of page 9)

· **IATA**

· **Class**	3 Flammable liquids.
· **Label**	3 (6.1)
· **Packing group**	
· **ADG, IMDG, IATA**	I
· **Environmental hazards:**	Product contains environmentally hazardous substances: aldrin (ISO)
· **Marine pollutant:**	Yes Symbol (fish and tree)
· **Special marking (ADG):**	Symbol (fish and tree)
· **Special precautions for user**	Warning: Flammable liquids.
· **Hazard identification number (Kemler code):**	336
· **EMS Number:**	F-E,S-D
· **Stowage Category**	B
· **Stowage Code**	SW2 Clear of living quarters.
· **Transport in bulk according to Annex II of Marpol and the IBC Code**	Not applicable.
· **Transport/Additional information:**	
· **ADG**	
· **Limited quantities (LQ)**	0
· **Excepted quantities (EQ)**	Code: E0 Not permitted as Excepted Quantity
· **Transport category**	1
· **Tunnel restriction code**	C/E
· **IMDG**	
· **Limited quantities (LQ)**	0
· **Excepted quantities (EQ)**	Code: E0 Not permitted as Excepted Quantity
· **UN "Model Regulation":**	UN 3021 PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (BENZENE, ENDRIN (ISO)), 3 (6.1), I, ENVIRONMENTALLY HAZARDOUS

*

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

71-43-2	benzene Flam. Liq. 2, H225 Acute Tox. 1, H310 Muta. 1B, H340; Carc. 1A, H350; STOT RE 1, H372; Asp. Tox. 1, H304 Skin Irrit. 2, H315; Eye Irrit. 2, H319	96.4%

(Contd. on page 11)

(Contd. of page 10)

50-29-3	DDT (common name not adopted by ISO) Acute Tox. 3, H301 Carc. 2, H351; STOT RE 1, H372	0.2%
58-89-9	γ -HCH or γ -BHC Acute Tox. 3, H301 STOT RE 2, H373 Acute Tox. 4, H312; Acute Tox. 4, H332	0.2%

· **Australia: Priority Existing Chemicals**	
71-43-2	benzene

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category**
H1 ACUTE TOXIC
E2 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 20 t

· **National regulations:**
· **Additional classification according to Decree on Hazardous Materials, Annex II:**
Carcinogenic hazardous material group III (dangerous).

· **Information about limitation of use:**
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· **Waterhazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer
The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· **Relevant phrases**
H225 Highly flammable liquid and vapour.
H300 Fatal if swallowed.
H301 Toxic if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

(Contd. on page 12)

(Contd. of page 11)

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H340 May cause genetic defects.
H350 May cause cancer.
H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Environmental, Health and Safety
· **Contact:**
Within the USA: 1-(800)-762-4000
Outside the USA: 1-(203)-712-8488
· **Abbreviations and acronyms**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 1: Acute toxicity – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Muta. 1B: Germ cell mutagenicity – Category 1B
Carc. 1A: Carcinogenicity – Category 1A
Carc. 2: Carcinogenicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
· *** Data compared to the previous version altered.**