

Technical Data Certificate of Analysis

Caution: For Laboratory Use. A research chemical for research purposes only.

Membrane Target Systems™ human Opioid mu Receptor

PRODUCT No.: ES-542-M400UA
LOT No.: 457-284-A

MATERIAL PROVIDED

MEMBRANES: 1 x 400 units / 400 µl frozen aliquot.
PACKAGING BUFFER: 50 mM Tris-HCl (pH 7.4), 0.5 mM EDTA, 10 mM MgCl₂, 10% sucrose.

PRODUCT INFORMATION

CELLULAR BACKGROUND: CHO-K1
PROTEIN ACCESSION NUMBER: L29301
UNIT SIZE: 5 µg protein / unit
STORAGE CONDITIONS: Store at -80°C. Avoid repeated freeze-thaw.
STABILITY: This product is stable for at least 3 years from reception if used and stored under recommended conditions.

QUALITY CONTROL

EXPRESSION LEVEL (B_{Max}): 4.9 pmol/mg membrane protein.
K_D FOR [³H]-DAMGO : 0.29 nM
PROTEIN CONCENTRATION: 5 mg/ml

RECOMMENDED ASSAY CONDITIONS

ASSAY BUFFER: 50 mM Tris-HCl pH 7.4, 5 mM MgCl₂
WASH BUFFER: 50 mM Tris-HCl pH 7.4
BINDING PROTOCOL: Binding assays are performed in 550 µl total volume according to the following conditions:

- 1 - Membrane dilution: 0.05 ml of membranes + 24.95 ml assay buffer (1:500 dilution)
- 2 - Incubation: 25 µl of incubation buffer or unlabeled ligand (DAMGO, 50 µM final for non specific binding)
25 µl of radioligand at the appropriate concentration (see graph on page 2)
500 µl of diluted membranes
- 3 - Incubation time: 60 minutes at 27 °C
- 4 - Filtration: Over GF/B filter presoaked in 0.5 % BSA then washed 9x with 500 µl of ice cold wash buffer.

LOT SPECIFIC DATA




Figure 1: SATURATION BINDING ASSAY CURVE (FILTRATION)
 96-well saturation binding assay curve (5 µg membranes/well, TopCount™).





Figure 2: COMPETITION BINDING ASSAY CURVE (FILTRATION)
 96-well competition binding assay curve (5 µg membranes/well, TopCount™). Recommended radioligand concentration = 0.75 nM.

*Even though two sites can be observed occasionally with some ligands, the data presented is derived from single site fitting.

Reference Compounds	Ki (nM)
DAMGO	1.0
Endomorphin-1	1.5
CTOP	8.7

TYPICAL PRODUCT DATA



Agonist / Antagonist	EC ₅₀ / IC ₅₀ (M)
DAMGO	1.8 x 10 ⁻⁹
Endomorphin-1	7.9 x 10 ⁻⁹
CTOP	1.5 x 10 ⁻⁷

Figure 3: GTPγS³⁵ FUNCTIONAL ASSAY

GTPγS³⁵ assays were performed using homogeneous proximity assay method.

SUGGESTED MATERIALS AND INSTRUMENTATION

PHARMACOLOGY ASSAYS

- [³H]-DAMGO
- DAMGO
- Unifilter-96 GF/C
- Unifilter-96 GF/B
- Filtermat A GF/C

INSTRUMENTS

- TopCount™
- Microbeta®
- FilterMate Unifiter 96-Harvester

SUPPLIER

PerkinElmer
Sigma
PerkinElmer
PerkinElmer
PerkinElmer

CATALOG

NET902
E7384
6005174
6005177
1450-421

PerkinElmer
PerkinElmer
PerkinElmer

visit the web site or contact your local sales office
visit the web site or contact your local sales office
C961962

This product is not for resale or distribution except by authorized distributors.

Products and their use may be covered by one or more of the following patents: US 6,103,492 licensed to PerkinElmer by The Indiana University.

LIMITED WARRANTY: PerkinElmer BioSignal Inc., a subsidiary of PerkinElmer Life and Analytical Sciences, warrants that, at the time of shipment, the products sold by it are free from defects in material and workmanship and conform to specifications which accompany the product. PerkinElmer BioSignal Inc. makes no other warranty, express or implied with respect to the products, including any warranty of merchantability or fitness for any particular purpose. Notification of any breach of warranty must be made within 60 days of receipt unless provided in writing by PerkinElmer BioSignal Inc. No claim shall be honored if the customer fails to notify PerkinElmer BioSignal Inc. within the period specified. The sole and exclusive remedy of the customer for any liability of PerkinElmer BioSignal Inc. of any kind including liability based upon warranty (express or implied whether contained herein or elsewhere), strict liability contract or otherwise is limited to the replacement of the goods or the refunds of the invoice price of goods. PerkinElmer BioSignal Inc. shall not in any case be liable for special, incidental or consequential damages of any kind.

*The PerkinElmer logo and design, and Microbeta are registered trademarks of PerkinElmer, Inc. Membrane Target Systems and TopCount are trademarks of PerkinElmer, Inc. or its subsidiaries, in the United States and other countries. All other trademarks not owned by PerkinElmer, Inc. or its subsidiaries that are depicted herein are the property of their respective owners.