

Research Use Only. Not for use in diagnostic procedures.

**DAMGO, [TYROSYL-3,5-<sup>3</sup>H(N)]-**

**Product Number: NET902**

**LOT SPECIFIC INFORMATION**

Lot Number:	<u>2710471</u>
Specific Activity:	<u>53.0</u> Ci/mmol
	<u>1961</u> GBq/mmol
Production Date:	<u>07-May-2020</u>

Tyr-D-Ala-Gly-N-Me-Phe-Gly-ol

M. W. 513.7

**PACKAGING:** 1.0 mCi/ml (37 MBq/ml) in ethanol, in a silanized vial, under argon. Shipped in dry ice.

**STABILITY AND STORAGE RECOMMENDATIONS:** When DAMGO, [tyrosyl-3,5-<sup>3</sup>H(N)]- is stored at -20°C in its original solvent and at its original concentration, the rate of decomposition is initially 1-2% per month from date of purification. Stability is nonlinear and not correlated to isotope half-life. Lot to lot variation may occur.

**SPECIFIC ACTIVITY RANGE:** 30-60 Ci/mmol (1110-2220 GBq/mmol)

**RADIOCHEMICAL PURITY:** This product was initially found to be greater than 97% when determined by one of the following methods. The rate of decomposition can accelerate. It is advisable to check purity prior to use:

High pressure liquid chromatography on a C18 column using the following mobile phase:

A=0.2% trifluoroacetic acid; B=acetonitrile

Gradient: 5%B to 30%B in 15 min. and hold 30%B for 15 minutes.

**QUALITY CONTROL:** The radiochemical purity of DAMGO, [tyrosyl-3,5-<sup>3</sup>H(N)]- is checked at appropriate intervals using the above listed chromatography method.

**HAZARD INFORMATION:** WARNING: This product contains a chemical known to the state of California to cause cancer.

PerkinElmer, Inc.

549 Albany Street

Boston, MA 02118 USA

P: (800) 762-4000 or (+1) 203-925-4602

www.perkinelmer.com/enradiochemicals

For a complete listing of our global offices, visit [www.perkinelmer.com/ContactUs](http://www.perkinelmer.com/ContactUs)

Copyright ©2010, PerkinElmer, Inc. All rights reserved. PerkinElmer® is a registered trademark of PerkinElmer, Inc.

All other trademarks are the property of their respective owners.

